

SAFETY DATA SHEET

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING				
1.1 Product identifier				
	GHS Product Identifier	Not applicable.		
	Chemical Name	Not applicable.		
	Trade name	SHC68HP-PG		
	CAS No.	Mixture		
	EINECS No.	Mixture		
1.2	Relevant identified uses of the substance	e or mixture and uses advised against		
	Identified use(s)	Synthetic Lubricant		
	Uses advised against	None.		
1.3	Details of the supplier of the safety data sheet			
	Company Identification	Permawick Company		
3110 Permawick Drive		3110 Permawick Drive		
Columbus, IN, 47201 U.S.A.				
Telephone +1 (812) 376-0703 Fax +1 (812) 372-1410				
				E-Mail (competent person)
	Only Representative	Experien Chemical Services (Europe) Limited		
		PO Box 170		
		Thirsk YO7 9AN UK		
	Telephone	+44 7791 573385 (UK 9am to 5pm)		
1.4	Emergency telephone number			
	Emergency Phone No.	Monday - Friday, 8 am – 4:30 p.m. (EST) (812) 376-0703		
		CHEMTREC 24 hr. +1 (703) 527-3887 (Collect call accepted)		

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture Regulation (EC) No. 1272/2008 (CLP).

2.2 Label elements

Hazard Symbol Signal word(s) Hazard statement(s) Precautionary statement(s)

- 2.3 Other hazards
- 2.4 Additional Information

Aquatic Chronic 3

None None Harmful to aquatic life with long lasting effects. Avoid release to the environment.

Not classified as PBT or vPvB.

Contains: N,N-bis(2-ethylhexyl)-ar-methyl-1H-benzotriazole-1-methanamine. May produce an allergic reaction.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Regulation (EC) No. 1272/2008 (CLP).

		EC No. and	According to Regulation (EC) No.
Hazardous ingredient(s)	%W/W	CAS#	1272/2008 (CLP)
		215-548-8	Repr. 2; H361
tris(methylphenyl) phosphate	1 - 2	1330-78-5	Aquatic Acute 1; H400
			Aquatic Chronic 1; H410
			Skin Irrit. 2; H315
H benzotriazolo-1-methanamine, N, N-bis (2-etilesile)	<u><</u> 0.5		Skin Sens. 1; H317
-methyl- ^		94270-86-7	Aquatic Acute 1; H400
			Aquatic Chronic 2; H411

3.3 Additional Information - Substances in the product which may present a health or environmental hazard, or which have been assigned occupational exposure limits, are detailed below. **None**



For full text of H/P phrases see section 16.

SECTION 4: FIRST AID MEASURES				
E				
4.1	Description of first aid measures			
	Inhalation	Unlikely to be required but if necessary treat symptomatically.		
	Skin Contact	Wash affected skin with soap and water.		
	Eye Contact	Eyes should be washed with plenty of water. If symptoms occur obtain medical attention.		
	Ingestion	Unlikely to be required but if necessary treat symptomatically.		
4.2	Most important symptoms and effects, both acute and delayed	None		
4.3	Indication of the immediate medical attention	None		
	and special treatment needed			
	TION 5: FIRE-FIGHTING MEASURES			
	TION 5: FIRE-FIGHTING MEASURES	Extinguish with waterspray, dry chemical, sand or carbon dioxide. None anticipated.		
5.1	EXTION 5: FIRE-FIGHTING MEASURES Extinguishing media -Suitable Extinguishing Media			
5.1 5.2	Extinguishing media -Suitable Extinguishing Media -Unsuitable Extinguishing Media Special hazards arising from the substance or	None anticipated.		
5.1 5.2 5.3	Extinguishing media -Suitable Extinguishing Media -Unsuitable Extinguishing Media Special hazards arising from the substance or mixture	None anticipated. This product may give rise to hazardous fumes in a fire. A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.		
5.1 5.2 5.3 SEC	CTION 5: FIRE-FIGHTING MEASURES Extinguishing media -Suitable Extinguishing Media -Unsuitable Extinguishing Media Special hazards arising from the substance or mixture Advice for fire-fighters	None anticipated. This product may give rise to hazardous fumes in a fire. A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.		
5.1 5.2 5.3	Extinguishing media -Suitable Extinguishing Media -Unsuitable Extinguishing Media Special hazards arising from the substance or mixture Advice for fire-fighters CTION 6: ACCIDENTAL RELEASE MEASURE Personal precautions, protective equipment	None anticipated. This product may give rise to hazardous fumes in a fire. A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.		

6.4 Reference to other sections

6.5 Additional Information

SECTION 7: HANDLING AND STORAGE				
7.1	Precautions for safe handling	Avoid skin contact. Avoid contact with eyes.		
7.2	2 Conditions for safe storage, including any incompatibilities			
	-Storage Temperature	Store at room temperature.		
	-Incompatible materials	Strong oxidising agents.		
7.3	Specific end use(s)	Synthetic Lubricant		

recovery.

None

None.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 Control parameters
- 8.1.1 Occupational Exposure Limits

Revision: 1

Page:	3/6
-------	-----

Date: 12 February 2020

	Thermal hazards	Not normally required.
8.2.3	Environmental Exposure Controls	Not normally required.
SECT	TION 9: PHYSICAL AND CHEMICAL PROPERTIE	S
9.1	Information on basic physical and chemical properties Appearance Colour	Viscous Gel Transparent / Straw
	Odour Odour Threshold (ppm) pH (Value)	Mild petroleum Not available Not available
	Melting Point (°C) / Freezing Point (°C) Boiling point/boiling range (°C): Flash Point (°C)	Not available Not determined. 230 - 280 [Open cup]
	Evaporation rate Flammability (solid, gas) Explosive limit ranges.	Not available Not available Not available
	Vapour Pressure (mm Hg) Vapour Density (Air=1) Density (g/ml)	Not available Not available 0.84 - 0.89
	Solubility (Water) Solubility (Other) Partition Coefficient (n-Octanol/water)	Not available Not available Not available
	Auto Ignition Temperature (°C) Decomposition Temperature (°C) Viscosity (mPa.s) (40°C)	Not available Not available 27 - 2,610
	Explosive properties Oxidising properties	Not explosive. Not oxidising.
9.2	Other information	Not available.

CAS No.

SUBSTANCE.

Recommended monitoring method

Appropriate engineering controls

Skin protection (Hand protection/ Other)

Personal protection equipment



LTEL (8 hr

TWA mg/m³)

Biological limit value

Not available

Not normally required.

Safety spectacles.

STEL

(ppm)

STEL

(mg/m³)

Note:

Note:

Not normally required.

None known

Limit value type (country of origin)

Exposure controls

Eye/face protection

None known

8.1.2

8.2

8.2.1

8.2.2

Respiratory protection



Not normally required.

SUBSTANCE.

SHC68HP-PG

LTEL (8 hr

TWA ppm)

CAS No.





Stable.

None

Oxidizers

None anticipated.

Stable under normal conditions.

Carbon monoxide, Carbon dioxide



SECTION 10: STABILITY AND REACTIVITY

- 10.1 Reactivity
- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid
- 10.5 Incompatible materials
- 10.6 Hazardous Decomposition Product(s)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1	Information on toxicological effects	
11.1.1	Substances Not applicable	
11.1.2	Mixtures - By analogy with similar materials:	
	Acute toxicity	Oral: >5000 mg/kg Dermal: >5000 mg/kg
	Skin corrosion/irritation	Unlikely to cause skin irritation.
	Serious eye damage/irritation	Unlikely to cause eye irritation.
	Respiratory or skin sensitization	Contains: N,N-bis(2-ethylhexyl)-ar-methyl-1H-benzotriazole-1- methanamine. May produce an allergic reaction.
	Germ cell mutagenicity	Not to be expected.
	Carcinogenicity	Not to be expected.
	Reproductive toxicity	Not to be expected.
	STOT - single exposure	Not to be expected.
	STOT - repeated exposure Aspiration hazard	Not to be expected. Not to be expected.
11.1.3	Substances in preparations / mixtures	
	tris(methylphenyl) phosphate (CAS No. 1330-78-5)	
	Acute toxicity	Oral LD50 > 20000 mg/kg (rat) Inhalation LC50 > 11.1 mg/l (rat) 1hr Dermal: LD50 = 3700 mg/kg (rabbit)
	Skin corrosion/irritation	Slightly irritant (Skin)
	Serious eye damage/irritation	Non-irritant to rabbit eyes
	Respiratory or skin sensitization	It is not a skin sensitiser
	Germ cell mutagenicity	Negative
	Carcinogenicity	No data
	Reproductive toxicity	Positive. Suspected of damaging fertility or the unborn child. Testicular Effects. LOAEL = 20 mg/kg (Developmental) NOEL = 20 mg/kg (Maternal)
	STOT - single exposure	Not to be expected.
	STOT - repeated exposure	Not to be expected. Oral: NOAEL = 1000 mg/kg (rat)
	Aspiration hazard	Not applicable
	N,N-bis(2-ethylhexyl)-ar-methyl-1H-benzotriazole-1-r	nethanamine (CAS No. 94270-86-7):
	Acute toxicity	Ingestion: LD50 3313 mg/kg (rat)
		Inhalation: No data
		Dermal: LD50 > 2000 mg/kg (rat)
	Skin corrosion/irritation	May cause irritation.
	Serious eye damage/irritation	May cause irritation.
	Respiratory or skin sensitization	May cause an allergic skin reaction.
	Germ cell mutagenicity	Not to be expected.
	Carcinogenicity	Not to be expected.
	Reproductive toxicity	Not to be expected.
	STOT - single exposure	Not to be expected.
	STOT - repeated exposure	Not to be expected.
	Aspiration hazard	No data
11.2	Other information	None known.



SECTION 12: ECOLOGICAL INFORMATION

	1-H benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-methyl- (CAS No.94270-86-7)				
Acute toxicityFish: LC50 = 1.3 mg/l (96 hour) (Brachydanio rerio)Aquatic invertebrates: EC50 = 2.05 mg/l (48 hour) (D. magAlgae: EL50 = 0.976 mg/l (72 hour) (Desmodesmus subsp					
	Long Term Toxicity	Algae: EC10 = 0.586 mg/l (72 hour) (Desmodesmus subspicatus)			
	tris(methylphenyl) phosphate (CAS No. 1330-78-5)				
	Acute toxicity Long Term	Fish LC50 = 0.06 mg/l (96 hour) (<i>Rainbow trout</i>) Fish LC50 = 44.8 mg/l (96 hour) (<i>Fathead minnow</i>) Aquatic invertebrates: EC50 = 146 μ g/l (48 hour) (<i>D. magna</i>) Algae EL50 > 2500 μ g/l (72 hour) / (96 hour) (<i>S. capricornutum</i>) Aquatic invertebrates: NOEC = 0.011 – 0.019 mg/l (Survival) (<i>G. pseudolimnaeus</i>)			
2.2	Persistence and degradability	Not available			
2.3	Bioaccumulative potential	Not available			
2.4 2.5	Mobility in soil Results of PBT and vPvB assessment	No data Not classified as PBT or vPvB.			
2.6	Other adverse effects	None known.			
EC	TION 13: DISPOSAL CONSIDERATIONS				
3.1	Waste treatment methods	Disposal should be in accordance with local, state or national			

13.2 **Additional Information** None known.

local authority for advice.

legislation.Consult an accredited waste disposal contractor or the

SECTION 14: TRANSPORT INFORMATION Land transport Sea transport Air transport (ADR/RID) (IMDG) (ICAO/IATA) **UN number Proper Shipping Name** Not classified as dangerous for transport. Transport hazard class(es) **Packing group Environmental hazards** Special precautions for user

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

15.1.1	EU regulations	Listed
	Regulation (EC) 2037/2000 - Dangerous to the ozone layer.	No.
	Regulation (EC) 850/2004 - Persistent Organic Pollutants	No.
	Regulation (EC) 689/2008 - Export/Import of Dangerous Chemicals	No.
	Regulation (EC) 1907/2006 - REACH Authorisations and/or restrictions on use	No.
15.1.2	National regulations	Not established.
15.2	Chemical Safety Assessment	Not applicable

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 2, 3, 11, and 16.



Hazard statement(s) and Precautionary statement(s):

- H361: Suspected of damaging fertility or the unborn child.
- H400: Very toxic to aquatic life.
- H410: Very toxic to aquatic life with long lasting effects.
- H315: Causes skin irritation.
- H317: May cause an allergic skin reaction.
- H411: Toxic to aquatic life with long lasting effects.

GHS Classification

- Aquatic Chronic 3: Harmful to aquatic life with long lasting effects.

Training advice: None.

Additional Information: None.

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose.Permawick gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Permawick accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.